(12) 按照专利合作条约所公布的国际申请

(19) 世界知识产权组织 国际局



(43) 国际公布日: 2005年10月13日(13.10.2005)

PCT

(10) 国际公布号: WO 2005/096644 A1

(51) 国际分类号7:

H04Q 7/24

(21) 国际申请号:

PCT/CN2005/000376

(22) 国际申请日:

2005年3月24日(24.03.2005)

(25) 申请语言:

中文

(26) 公布语言:

中文

(30) 优先权:

200410030517.1

2004年4月2日(02.04.2004) CN

- (71) 申请人(对除美国以外的所有指定国): 华为技术有限 公司(HUAWEI TECHNOLOGIES CO., LTD.) [CN/ CN]; 中国广东省深圳市龙岗区坂田华为总部办公楼, Guangdong 518129 (CN).
- (72) 发明人;及
- (75) 发明人/申请人(仅对美国): 黄迎新(HUANG, Yingxin) [CN/CN]; 张文林(ZHANG, Wenlin) [CN/CN]; 中国 广东省深圳市龙岗区坂田华为总部办公楼、 Guangdong 518129 (CN).
- (74) 代理人: 北京德琦知识产权代理有限公司(DEQI INTELLECTUAL PROPERTY LAW COPRORATION); 中国北京市海淀区知春路1号学院 国际大厦7层, Beijing 100083 (CN)。

- (81) 指定国(除另有指明,要求每一种可提供的国家保护): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
- (84) 指定国(除另有指明,要求每一种可提供的地区保护): ARIPO(BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), 欧亚专利(AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), 欧洲专利(AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI(BF, BJ, CF, CG, CI, CM, GA, GN, GQ,


本国际公布:

包括国际检索报告。

所引用双字母代码和其它缩写符号, 请参考刊登在每期 PCT公报期刊起始的"代码及缩写符号简要说明"。

(54) Title: A METHOD FOR ESTABLISHING SECURITY ASSOCIATION BETWEEN THE ROAMING SUBSCRIBER AND THE SERVER OF THE VISITED NETWORK

(54) 发明名称: 漫游用户与拜访网络内的业务服务器建立信任关系的方法



- I BUT OF THE MOME METWORK

 BUT SO OF THE VISITED METWORK

 BUT SO OF THE VISITED METWORK

 BUT SO OF THE VISITED METWORK

 EXECUTE ANA MUTUAL MITHENTICATION, AND THE SUBSCRIBER OBTAINS THE TIO

 1 ASK FOR THE MISHES SERVICE OF THE VISITED METWORK, AND BE WITH THE TIO

 1 OBJECT THIS CONCERNED WE ORNATION OF THE TO

 10 UPST OR CEMERAL MUTUALITIESTOM PRIMER ACCENT OF THE VISITED METWORK AND SE
- 203 OUERY THIS CONCERNED WE ORNATION OF THE TO
 204 BY OR COLERAL AUTHENTICATION FRAME ACENT OF THE VISITED METN
 WHICH NETWORK THE ROMAING SUBSCREER RELIGIOUS TO ACCORDING
 TO THE TID INFORMATION
 205 OUERY THE CONCERNED WF ORMATION OF THE TID
 205 THE TID INFORMATION IS GREATED AND PROCESSED
 206 THE TID INFORMATION IS GREATED TO WE FORMATION
 207 RESPONSE TO THE REQUEST OF THE SUBSCRIBER

(57) Abstract: A method for establishing security association between the roaming subscriber and the server of the visited network, and after receiving the service request from a roaming, subscriber, the server of the visited network establishes security association with the roaming subscriber by the BSF or the general authentication frame agent or the AAA server of this network and the AAA server of the home network of the roaming subscriber according to the authenticating result of the general authentication frame in the home network; it is achieved that the roaming subscriber employs the service of its visited network after being authenticated through the general authentication frame of the home network.

2005/096644 AJ